



Flow Measurement Devices INQUIRY SHEET

1/1

Please fax to: +49 (0) 3841 / 32 75 079 or send via e-mail to: sales@tecmara.de

Contact Data	
Name	Project Inquiry No. Date Email
Requested Design Data	
Flow / level	□ volume flow □ mass flow □ density □ temperature
Type of measurement	☐ electromagnetic ☐ ultrasonic ☐ coriolis ☐ vortex ☐ calorimetric ☐ other
State of aggregation	☐ liquid ☐ gaseous ☐ vaporous
Food processing	□ no □ yes
Medium	name: formula: concentration:
Operating pressure	[bar] absolute atmosphere above atmospheric
Operating temperature	
Density	
Viscosity	
Conductivity	☐ conductive ☐ not conductive
Solids content	☐ < 1 % size:
Measuring accuracy	%
Max. rate of measurement	
Ambient temperature	
Output signal	 ☐ localized reading without transmission of measured value ☐ 0 - 20 mA ☐ 0 - 20 mA - explosion-proof ☐ HART ☐ Profibus
Explosion proof	□ no □ yes
Connection	screwed gland [G] In the screwed gland [G] In the screwed gland [G] In
Lining	hard rubber ceramic
Version	Transmitter separated from sensor
Material pipe	
Design rates	pressure: [] unit temperature: [] unit
Quantity devices	piece
Certificate / inspection	
Notes / supplies / specification	n / documentation / painting / others